



## TREEVENTI TECHNO CRAFT

300 DCA bandsaw machine in India for heavy-duty industrial metal cutting. High accuracy, durability & reliable performance.

[www.treevenitechnocraft.com](http://www.treevenitechnocraft.com)

[info@treevenitechnocraft.com](mailto:info@treevenitechnocraft.com)

+91 8452073844

Accuracy & Cut Face	100 mm $\varnothing \pm 0.1$ mm
Coolant Motor	0.16 HP
Hydraulic Tank Capacity	80 Liter
Flow Control Valve	Yes
Coolant Tank Capacity	80 Liter
Wheel Diameter	
Oil Level Indicator	Yes
Hooter	Yes
Emergency Stop Switch	Yes
Pulley Belt	V Belt
Supply Voltage	440 V $\pm 10$ % 50 Hz, 3 Phase A.C. IP 54
Color	Polyurethane paint: Grey/ Light Blue
Pillar Height	1350 mm
Pillar Diameter	80 mm

Model No.	300 DCA
Machine Type	Heavy Duty
Double Column	Yes
Cutting Capacity Round Diameter	300 mm
Cutting Capacity Square	300x 300 mm
Cutting Capacity Rectangular	300 x 310 mm
Machine Coating	Fully Casted
Gear Box	4 SNU
Saw Motor	5 HP
Blade Speed	20-100 m/mm
Blade Size	4100x34x1.1 mm
Blade Tension	Hydraulic
Hydraulic Motor	1.5 HP





# 350 DCSAP

[www.reallygreatsite.com](http://www.reallygreatsite.com)

Model No.	350 DCSAP
Machine Type	Heavy Duty
Double Column	Yes
Cutting Capacity Round Diameter	300 mm
Cutting Capacity Square	300x 300 mm
Cutting Capacity Rectangular	300 x 310 mm
Machine Coating	Fully Casted
Gear Box	4 SNU
Saw Motor	5 HP
Blade Speed	20-100 m/mm
Blade Size	4860 X 41 X 1.1 mm
Blade Tension	Hydraulic
Hydraulic Motor	1.5 HP

## TREEVENI TECHNO CRAFT

300 DCA bandsaw machine in India for heavy-duty industrial metal cutting. High accuracy, durability & reliable performance.

[www.treevenitechnocraft.com](http://www.treevenitechnocraft.com)

[info@treevenitechnocraft.com](mailto:info@treevenitechnocraft.com)

+91 8452073844

Accuracy & Cut Face	100 mm $\varnothing \pm 0.1$ mm
Coolant Motor	0.16 HP
Hydraulic Tank Capacity	80 Liter
Flow Control Valve	Yes
Coolant Tank Capacity	80 Liter
Wheel Diameter	
Oil Level Indicator	Yes
Hooter	Yes
Emergency Stop Switch	Yes
Pulley Belt	V Belt
Supply Voltage	440 V $\pm 10$ % 50 Hz, 3 Phase A.C IP 54
Color	Polyurethane paint: Grey/ Light Blue
Pillar Height	1350 mm
Pillar Diameter	80 mm





## TREEVENI TECHNO CRAFT

400x800 bandsaw machine in India for heavy-duty industrial metal cutting. High precision, durability & consistent performance.

[www.treevenitechnocraft.com](http://www.treevenitechnocraft.com)

[info@treevenitechnocraft.com](mailto:info@treevenitechnocraft.com)

+91 8452073844

Machine Dimension	2300 x 800 x 455 mm
Accuracy & Cut Face	100 mm $\varnothing \pm 0.1$ mm
Coolant Motor	0.16 HP
Hydraulic Tank Capacity	100 Liters
Flow Control Valve	Yes
Coolant Tank Capacity	100 Liters
Oil Level Indicator	Yes
Hooter	Yes
Emergency Stop Switch	Yes
Pulley Belt	V Belt
Supply Voltage	440 V $\pm 10$ % 50 Hz, 3 Phase A.C. IP 54
Color	Polyurethane paint: Grey/ Light Blue
Pillar Height	1430 MM
Pillar Diameter	110 MM

# 400 X 800 DCSA

[www.reallygreatsite.com](http://www.reallygreatsite.com)

Model No.	400 x 800 DCSA
Machine Type	Heavy Duty
Double Column	Yes
Cutting Capacity Round Diameter	400 mm
Cutting Capacity Square	400 x 400 mm
Cutting Capacity Rectangular	400 x 800 mm
Machine Coating	Fully Casted
Gear Box	5 SNU
Saw Motor	7.5 HP
Blade Speed	20-100 m /mm
Blade Size	6100 x 41 x 1.3 mm
Blade Tension	Hydraulic
Hydraulic Motor	1.5 HP





Model No.	525 DCSA
Machine Type	Heavy Duty
Double Column	Yes
Cutting Capacity Round Diameter	525 mm
Cutting Capacity Square	525 x 525 mm
Cutting Capacity Rectangular	525 x 535 mm
Saw Motor	7.5 HP
Gear Box	6 SNU
Blade Speed	20-100 m/mm
Blade Size	5800x41x1.3 mm
Blade Tension	Hydraulic
Hydraulic Motor	1.5 HP

## TREEVENI TECHNO CRAFT

525 DCSA bandsaw machine in India for heavy-duty industrial metal cutting. High accuracy, durability & reliable performance.

[www.treevenitechnocraft.com](http://www.treevenitechnocraft.com)

[info@treevenitechnocraft.com](mailto:info@treevenitechnocraft.com)

+91 8452073844

Accuracy & Cut Face	100 mm $\pm 0.1$ mm
Coolant Motor	0.16 HP
Hydraulic Tank Capacity	100 Liter
Flow Control Valve	Yes
Coolant Tank Capacity	100 Liter
Oil Level Indicator	Yes
Hooter	Yes
Machine Coating	Fully Casted
Emergency Stop Switch	Yes
Pulley Belt	V Belt
Supply Voltage	440 V $\pm 10$ % 50 Hz, 3 Phase A.C. IP 54
Color	Polyurethane paint: Grey/ Light Blue
Pillar Height	1750 mm
Pillar Diameter	110 mm





## TREEVENI TECHNO CRAFT

600 DCSA Bandsaw Machine is a powerful, heavy-duty industrial bandsaw designed for precise and stable cutting of medium to large metal sections in industrial applications.

[www.treevenitechnocraft.com](http://www.treevenitechnocraft.com)

[info@treevenitechnocraft.com](mailto:info@treevenitechnocraft.com)

+91 8452073844

Accuracy & Cut Face	100 mm $\varnothing \pm 0.1$ mm
Coolant Motor	0.16 HP
Hydraulic Tank Capacity	100 Liter
Flow Control Valve	Yes
Coolant Tank Capacity	100 Liter
Oil Level Indicator	Yes
Hooter	Yes
Machine Coating	Fully Casted
Emergency Stop Switch	Yes
Pulley Belt	V Belt
Supply Voltage	440 V $\pm 10$ % 50 Hz, 3 Phase A.C. IP 54
Color	Polyurethane paint: Grey/ Light Blue
Pillar Height	1750 mm
Pillar Diameter	110 mm

Model No.	600 DCSA
Machine Type	Heavy Duty
Double Column	Yes
Cutting Capacity Round Diameter	600 mm
Cutting Capacity Square	600 x 600 mm
Cutting Capacity Rectangular	600 x 610 mm
Gear Box Type	6 SNU
Saw Motor	7.5 HP
Blade Speed	20-100 m /mm
Blade Size	7200x54x1.6 mm
Blade Tension	Hydraulic
Hydraulic Motor	1.5 HP





## TREEVENI TECHNO CRAFT

600 DCSAP bandsaw machine in India for heavy-duty industrial metal cutting. High precision, durability & reliable performance.

[www.treevenitechnocraft.com](http://www.treevenitechnocraft.com)

[info@treevenitechnocraft.com](mailto:info@treevenitechnocraft.com)

+91 8452073844

Accuracy & Cut Face	100 mm $\varnothing \pm 0.1$ mm
Coolant Motor	0.16 HP
Hydraulic Tank Capacity	100 Liter
Flow Control Valve	Yes
Coolant Tank Capacity	100 Liter
Oil Level Indicator	Yes
Hooter	Yes
Machine Coating	Fully Casted
Emergency Stop Switch	Yes
Pulley Belt	V Belt
Supply Voltage	440 V $\pm 10$ % 50 Hz, 3 Phase A.C. IP 54
Color	Polyurethane paint: Grey/ Light Blue
Pillar Height	1750 mm
Pillar Diameter	110 mm

# 600 DCSAP

[www.reallygreatsite.com](http://www.reallygreatsite.com)

Model No.	600 DCSAP
Machine Type	Heavy Duty
Double Column	Yes
Cutting Capacity Round Diameter	600 mm
Cutting Capacity Square	600 x 600 mm
Cutting Capacity Rectangular	600 x 610 mm
Gear Box Type	6 SNU
Saw Motor	7.5 HP
Blade Speed	20-100 m /mm
Blade Size	7200x54x1.6 mm
Blade Tension	Hydraulic
Hydraulic Motor	1.5 HP





Model No.	700 DCSA
Machine Type	Heavy Duty
Double Column	Yes
Cutting Capacity Round Diameter	700 mm
Cutting Capacity Square	700 x 700 mm
Cutting Capacity Rectangular	700 x 710 mm
Gear Box	7 SNU
Saw Motor	10 HP
Blade Speed	20-100 m /mm
Blade Size	8000x67x1.6 mm
Blade Tension	Hydraulic
Hydraulic Motor	2 HP

## TREEVENI TECHNO CRAFT

700 DCSA bandsaw machine in India for heavy-duty industrial metal cutting. High precision, durability & reliable performance.

[www.treevenitechnocraft.com](http://www.treevenitechnocraft.com)

[info@treevenitechnocraft.com](mailto:info@treevenitechnocraft.com)

+91 8452073844

Accuracy & Cut Face	100 mm $\varnothing \pm 0.1$ mm
Coolant Motor	0.16 HP
Hydraulic Tank Capacity	100 Liter
Flow Control Valve	Yes
Coolant Tank Capacity	100 Liter
Oil Level Indicator	Yes
Hooter	Yes
Machine Coating	Fully Casted
Emergency Stop Switch	Yes
Pulley Belt	V Belt
Supply Voltage	440 V $\pm 10$ % 50 Hz, 3 Phase A.C. IP 54
Color	Polyurethane paint: Grey/ Light Blue
Pillar Height	2200 mm
Pillar Diameter	150 mm





## TREEVENI TECHNO CRAFT

750 DCSA bandsaw machine in India for heavy-duty industrial metal cutting. High precision, durability & reliable performance.

[www.treevenitechnocraft.com](http://www.treevenitechnocraft.com)

[info@treevenitechnocraft.com](mailto:info@treevenitechnocraft.com)

+91 8452073844

Accuracy & Cut Phase	100 mm $\varnothing \pm 0.1$ mm
Coolant Motor	0.16 HP
Hydraulic Tank Capacity	100 Liters
Flow Control Valve	Yes
Coolant Tank Capacity	100 Liters
Oil Level Indicator	Yes
Hooter	Yes
Emergency Stop Switch	Yes
Pulley Belt	V Belt
Supply Voltage	440 V $\pm 10\%$ 50 Hz, 3 Phase A.C. IP 54
Color	Polyurethane paint: Grey/ Light Blue
Pillar Height	
Pillar Diameter	

# 750 DCSA

[www.reallygreatsite.com](http://www.reallygreatsite.com)

Model No.	750 x 750 DCSA
Machine Type	Heavy Duty
Double Column	Yes
Cutting Capacity Round Diameter	750 mm
Cutting Capacity Square	750 x 750 mm
Cutting Capacity Rectangular	750 x 760 mm
Machine Coating	Fully Casted
Gear Box	7 SNU
Saw Motor	10 HP
Blade Speed	20 - 100 m/min
Blade Size	8000 X 67 X 1.6 mm
Blade Tension	Hydraulic
Hydraulic Motor	2 HP





## TREEVENI TECHNO CRAFT

850 DCSA bandsaw machine in India for heavy-duty industrial metal cutting. High precision, durability & reliable performance.

[www.treevenitechnocraft.com](http://www.treevenitechnocraft.com)

[info@treevenitechnocraft.com](mailto:info@treevenitechnocraft.com)

+91 8452073844


Accuracy & Cut Phase	100 mm $\varnothing \pm 0.1$ mm
Coolant Motor	0.5 HP
Hydraulic Tank Capacity	200 Liters
Flow Control Valve	Yes
Coolant Tank Capacity	200 Liters
Oil Level Indicator	Yes
Hooter	Yes
Emergency Stop Switch	Yes
Pulley Belt	V Belt
Supply Voltage	440 V $\pm 10\%$ 50 Hz, 3 Phase A.C. IP 54
Color	Polyurethane paint: Grey/ Light Blue
Pillar Height	
Pillar Diameter	150 mm

# 850 DCSA

[www.reallygreatsite.com](http://www.reallygreatsite.com)

Model No.	850 x 850 DCSA
Machine Type	Heavy Duty
Double Column	Yes
Cutting Capacity Round Diameter	850 mm
Cutting Capacity Square	850 x 850 mm
Cutting Capacity Rectangular	850 x 860 mm
Machine Coating	Fully Casted
Gear Box	8 SNU
Saw Motor	15 HP
Blade Speed	20 - 100 m/min
Blade Size	8800 x 67 x 1.6 mm
Blade Tension	Hydraulic
Hydraulic Motor	2 HP





## TREEVENI TECHNO CRAFT

1000x600 bandsaw machine in India for heavy-duty industrial metal cutting. High precision, durability & reliable performance.

[www.treevenitechnocraft.com](http://www.treevenitechnocraft.com)

[info@treevenitechnocraft.com](mailto:info@treevenitechnocraft.com)


+91 8452073844


Accuracy & Cut Phase	100 mm $\varnothing \pm 0.1$ mm
Coolant Motor	0.5 HP
Hydraulic Tank Capacity	200 Liters
Flow Control Valve	Yes
Coolant Tank Capacity	200 Liters
Oil Level Indicator	Yes
Hooter	Yes
Emergency Stop Switch	Yes
Pulley Belt	V Belt
Supply Voltage	440 V $\pm 10\%$ 50 Hz, 3 Phase A.C. IP 54
Color	Polyurethane paint: Grey/ Light Blue
Pillar Height	1500 MM
Pillar Diameter	137 MM

# 1000 X 600 DCSA

[www.reallygreatsite.com](http://www.reallygreatsite.com)

Model No.	1000 x 600 DCSA
Machine Type	Heavy Duty
Double Column	Yes
Cutting Capacity Round Diameter	600 mm
Cutting Capacity Square	600 x 600 mm
Cutting Capacity Rectangular	1000 x 600 mm
Machine Coating	Fully Casted
Gear Box	7 SNU
Saw Motor	7.5 HP
Blade Speed	20 - 100 m/min
Blade Size	54c
Blade Tension	Hydraulic
Hydraulic Motor	1.5 HP





## TREEVENI TECHNO CRAFT

1000×1000 bandsaw machine in India for heavy-duty industrial metal cutting. High precision, durability & consistent performance.

[www.treevenitechnocraft.com](http://www.treevenitechnocraft.com)

[info@treevenitechnocraft.com](mailto:info@treevenitechnocraft.com)


+91 8452073844

Accuracy & Cut Face	100 mm $\varnothing \pm 0.1$ mm
Coolant Motor	0.50 HP
Hydraulic Tank Capacity	200 Liter
Flow Control Valve	Yes
Coolant Tank Capacity	200 Liter
Oil Level Indicator	Yes
Hooter	Yes
Emergency Stop Switch	Yes
Pulley Belt	V Belt
Supply Voltage	440 V $\pm 10$ % 50 Hz, 3 Phase A.C. IP 54
Color	Polyurethane paint: Grey/ Light Blue
Pillar Height	1500 mm
Pillar Diameter	180 mm

# 1000 X 1000 DCSA

[www.reallygreatsite.com](http://www.reallygreatsite.com)

Model No.	1000x1000 DCSA
Machine Type	Heavy Duty
Double Column	Yes
Cutting Capacity Round Diameter	1000 mm
Cutting Capacity Square	1000 x 1000 mm
Cutting Capacity Rectangular	1000 x 1050 mm
Machine Coating	Fully Casted
Gear Box	9 SNU
Saw Motor	20 HP
Blade Speed	20 - 100 m/min
Blade Size	10700 x 67 x 1.6 mm
Blade Tension	Hydraulic
Hydraulic Motor	3 HP





# 1000 X 1500 DCSA

[www.reallygreatsite.com](http://www.reallygreatsite.com)

Model No.	1000x1500 DCSA
Machine Type	Heavy Duty
Double Column	Yes
Cutting Capacity Round Diameter	1010 mm
Cutting Capacity Square	1010 x 1010 mm
Cutting Capacity Rectangular	1550 x 1010 mm
Machine Coating	Fully Casted
Gear Box	9 SNU
Saw Motor	20 HP
Blade Speed	20 - 100 m/min
Blade Size	10700x 67x1.6
Blade Tension	Hydraulic
Hydraulic Motor	3 HP

## TREEVENI TECHNO CRAFT

1000×1500 bandsaw machine in India for heavy-duty industrial metal cutting. High precision, durability & reliable performance.

[www.treevenitechnocraft.com](http://www.treevenitechnocraft.com)

[info@treevenitechnocraft.com](mailto:info@treevenitechnocraft.com)

+91 8452073844

Accuracy & Cut Face	100 mm $\varnothing \pm 0.1$ mm
Coolant Motor	0.5 HP
Hydraulic Tank Capacity	100 Liter
Flow Control Valve	Yes
Coolant Tank Capacity	100 Liter
Oil Level Indicator	Yes
Hooter	Yes
Emergency Stop Switch	Yes
Pulley Belt	V Belt
Supply Voltage	440 V $\pm 10$ % 50 Hz, 3 Phase A.C. IP 54
Color	Polyurethane paint: Grey/ Light Blue
Pillar Height	2900 mm
Pillar Diameter	200 mm





# 1250 X 1250 DCSA

[www.reallygreatsite.com](http://www.reallygreatsite.com)

Model No.	1250 x 1250 DCSA
Machine Type	Heavy Duty
Double Column	Yes
Cutting Capacity Round Diameter	1250 mm
Cutting Capacity Square	1250 x 1250 mm
Cutting Capacity Rectangular	1250 x 1300 mm
Machine Coating	Fully Casted
Gear Box	9 SNU
Saw Motor	20 HP
Blade Speed	20 - 100 m/min
Blade Size	12700 x 67 x 1.6 mm
Blade Tension	Hydraulic
Hydraulic Motor	3 HP

## TREEVENI TECHNO CRAFT


1250 DCSA bandsaw machine in India for heavy-duty industrial metal cutting. High accuracy, durability & long service life.

[www.treevenitechnocraft.com](http://www.treevenitechnocraft.com)

[info@treevenitechnocraft.com](mailto:info@treevenitechnocraft.com)

+91 8452073844

Accuracy & Cut Phase	100 mm $\varnothing \pm 0.1$ mm
Coolant Motor	0.5 HP
Hydraulic Tank Capacity	200 Liters
Flow Control Valve	Yes
Coolant Tank Capacity	200 Liters
Oil Level Indicator	Yes
Hooter	Yes
Emergency Stop Switch	Yes
Pulley Belt	V Belt
Supply Voltage	440 V $\pm 10$ % 50 Hz, 3 Phase A.C. IP 54
Color	Polyurethane paint: Grey/ Light Blue
Pillar Height	
Pillar Diameter	180 mm





# 1250X600 DCSA

Model No.	1250x600 DCSA
Machine Type	Heavy Duty
Double Column	Yes
Cutting Capacity Round Diameter	600 mm
Cutting Capacity Square	600 x 600 mm
Cutting Capacity Rectangular	1250 x 600 mm
Machine Coating	Fully Casted
Gear Box	8 SNU
Saw Motor	15 HP
Blade Speed	20 to 100 mtr/min
Blade Size	10700 x 67 x 1.6 mm
Blade Tension	Hydraulic
Hydraulic Motor	2 HP

## TREEVENI TECHNO CRAFT

1250×600 bandsaw machine in India for heavy-duty industrial metal cutting. High precision, durability & reliable performance.

[www.treevenitechnocraft.com](http://www.treevenitechnocraft.com)

[info@treevenitechnocraft.com](mailto:info@treevenitechnocraft.com)

+91 8452073844

Accuracy & Cut Face	100 mm $\varnothing \pm 0.1$ mm
Coolant Motor	0.5 HP
Hydraulic Tank Capacity	200 Liters
Flow Control Valve	Yes
Coolant Tank Capacity	200 Liters
Oil Level Indicator	Yes
Hooter	Yes
Emergency Stop Switch	Yes
Pulley Belt	V Belt
Supply Voltage	440 V $\pm 10$ % 50 Hz, 3 Phase A.C. IP 54
Color	Polyurethane paint: Grey/ Light Blue
Pillar Height	
Pillar Diameter	180 MM

